


| | 7 | | 8 | | | | | |
|---|--|--|------------------------------------|--|---|--|--|--|
| RTS LIST & FINISH SELECTION | | | | | | | | |
| | MATERIAL | | QTY | WEIGHT / lbs | | | | |
| COATED | HED ALUMINUM T-FRAME (1.50"X1. IN CLEAR LACQUER WITH (6) 14 G. L #4 FINISH DROP IN PANELS | | 1 | 85.679 | А | | | |
| | ED DOWN LIGHTING SYSTEM BY M/ TH BLACK FINISH FIXTURES | 1 (SET) | 8.6642 | A | | | | |
| ITAL PANEL SYSTEM CONSISTING OF (12) 1/2" FRPB FACED WITH WILSONART BUKA BARK 7982-38 LAMINATE. ACCENT AREA, LOCATED IN BACK RIGHT CORNER OF IS FACED WITH RIMEX 5-SM 18 GAUGE TEXTURED S/S. ELS ARE BANDED IN BLACK PVC EDGE BANDING | | | | | | | | |
| | AT S/S, #4 FINISH WITH RETURNED FACE STANDOFFS | DENDS. | 1 | 14.1844 | | | | |
| | AT S/S, #4 FINISH WITH RETURNED FFACE STANDOFFS | DENDS. | 2 | 16.3094 | В | | | |
| E STAIN | ILESS STEEL #4 FINISH | | 1 (SET) | 22.3755 | | | | |
| | | | | | | | | |
| 2.00 1.625 6 | | rented | | | С | | | |
| <u>AIL A</u> <u>E 1 : 5</u> | | | | | | | | |
| | 3 6 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | ELEVATION B | | | D | | | |
| <u>AIL B</u> LE 1 : 5 | CEILING BRACK | ET | | | E | | | |
| | | | | | | | | |
| | SPECIFIC PRODUCT NOTES | | IVERSI | <u>ON</u> | | | | |
| | ALL DIMENSIONS ARE GIVEN INCHES (ALL DIMENSIONS ±1/32") | $\begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$ | .0625 0.1250 0.1875 .2500 | $\begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$ | F | | | |
| 1 : 25 | QTY: 1 CAB | 3/8 = 0 |).3125 .3750 .4375 | 13/16 = 0.8125 7/8 = 0.8750 15/16 = 0.9375 | | | | |
| | | | SHEE | T 1-1 | | | | |
| 1 | 7 | 1 | • | | | | | |



| | 7 | | 8 | | |
|--|--|------------|------------|--------------|---|
| RTS | SLIST & FINISH SELECTION | | | | |
| MATERIAL | | | QTY | WEIGHT / lbs | |
| A: BRUSHED ALUMINUM T-FRAME (1.50"X1.50"X.125") COATED IN CLEAR LACQUER WITH (6) 14 GAUGE SS STEEL #4 FINISH DROP IN PANELS | | | 1 | 85.679 | А |
| AM-6: LED DOWN LIGHTING SYSTEM BY MAN-D-TEC. T SMOOTH BLACK FINISH FIXTURES | | | 1 (SET) | 8.6642 | ~ |
| NTAL PANEL SYSTEM CONSISTING OF (12) 1/2" FRPB FACED WITH WILSONART BUKA BARK 7982-38 LAMINATE. 1 ACCENT AREA, LOCATED IN BACK RIGHT CORNER OF 8, IS FACED WITH RIMEX 5-SM 18 GAUGE TEXTURED S/S. ELS ARE BANDED IN BLACK PVC EDGE BANDING | | | 12 | 280.198 | |
| | 2.00" FLAT S/S, #4 FINISH WITH RETURNED ENDS. ED, FLAT FACE STANDOFFS | | 1 | 14.1844 | |
| | 2.00" FLAT S/S, #4 FINISH WITH RETURNED ENDS. ED, FLAT FACE STANDOFFS | | 2 | 16.3094 | В |
| GE STAINLESS STEEL #4 FINISH | | 1 (SET) | 22.3755 | | |
| | | | | | |

С

D

Е

SPECIFIC PRODUCT NOTES UNIT CONVERSION ALL DIMENSIONS ARE GIVEN IN 1/2 = 0.5000 INCHES 1/16 = 0.0625 9/16 = 0.5625 1/8 = 0.1250 5/8 = 0.6250 3/16 = 0.1875 11/16 = 0.6875 (ALL DIMENSIONS ±1/32") F 1/4 = 0.2500 3/4 = 0.7500 5/16 = 0.3125 13/16 = 0.8125 QTY: 1 CAB 3/8 = 0.3750 7/8 = 0.8750 7/16 = 0.4375 15/16 = 0.9375 SHEET 1-2

7

8